



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
| 10/027,361      | 12/20/2001  | Dennis A. Lonigro    | U0081/7026          | 9665             |

23628 7590 07/11/2003

WOLF GREENFIELD & SACKS, PC  
FEDERAL RESERVE PLAZA  
600 ATLANTIC AVENUE  
BOSTON, MA 02210-2211

EXAMINER

DOUGHERTY, ANTHONY T

ART UNIT PAPER NUMBER

2863

DATE MAILED: 07/11/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Applicant(s)

10/027,361

Applicant(s)

LONIGRO ET AL.

Examiner

Anthony T. Dougherty

Art Unit

2863

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 24 April 2002.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-43 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-3, 7-10, 12-16, 18, 19, 22-26, 28, 30-41 and 43 is/are rejected.
- 7) ☒ Claim(s) 4-6, 11, 17, 20, 21, 27, 29, 37 and 42 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 24 April 2002 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

**Priority under 35 U.S.C. §§ 119 and 120**

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 3.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other:

Art Unit: 2863

## **DETAILED ACTION**

### ***Specification***

1. The disclosure is objected to because of the following informalities:

Page 3 line 24 "Figs. 4-10" should be changed to --Figs. 4, 5, 6, 7, 8, 9a, 9b, 9c, and 10--.

Appropriate correction is required.

### ***Claim Objections***

2. Claim 37 objected to because of the following informalities: Claim 37 recites the limitation "the output comprises" there is insufficient antecedent basis for this limitation in the claim, it assumed that claim 37 should depend from claim 36 instead of claim 35 and that this is a typographical error, accordingly claim 37 has been treated by the examiner as if it depended from claim 36 instead of claim 35 as written. Appropriate correction is required.

### ***Claim Rejections - 35 USC § 102***

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

4. Claims 1-3, 7-10, 12-16, 18, 19, 22-26, 28, 30-32, 34-41, and 43 rejected under 35 U.S.C. 102(b) as being anticipated by International Application Publication Number WO 99/57693 to Zeskind et al.

Art Unit: 2863

With regard to claims 1, 7, 16, 23, 39, 40 and 41, Zeskind et al. discloses detecting a plugged sensor port in a system containing a fluid being monitored (see page 1 line 6 through line 9) by a sensor that senses a fluid variable through a sensor port (see page 6 line 9 through line 11) a controller (see page 6 line 28 through line 29) for determining a range based on the measured fluid variable beyond which the fluid variable is expected to vary (see page 8 line 9 through line 20) or establishing a range beyond which a fluid variable is expected to vary (see page 5 line 10 through line 12), within a predetermined time interval (see page 3 line 9 through line 11), measuring the fluid variable (see page 3 line 3 through line 7), indicating a plugged sensor port in response to the measured variable remaining within a range for a predetermined time interval (see page 3 line 7 through line 11 and page 3 line 31 through page 4 line 3), and actuating a clearing mechanism to clear the plugged port (see page 3 line 23 through line 27).

With regard to claims 2, 8, 24, and 25, and applying the rejections of claims 1, 7, and 23 above, Zeskind et al. discloses determining the range based on a measured value of the fluid variable (see page 8 line 9 through line 20) being outside a range (see page 3 line 12 through line 17).

With regard to claims 3, 9, and 26, and applying the rejections of claims 1, 7, and 23 above, Zeskind et al. discloses determining the range based on an upper and lower threshold value for the fluid variable (see page 8 line 9 through line 20).

With regard to claim 10, and applying the rejection of claim 7 above, Zeskind et al. discloses determining a minimum amount by which the fluid variable is expected to vary above and below a nominal operating value (see page 2 line 22 through line 25) over a selected time interval (see page 3 line 7 through line 11).

Art Unit: 2863

With regard to claims 12, 19, and 28, and applying the rejection of claims 7, 16, and 23 above, Zeskind et al. discloses performing a corrective action to clear the plugged port connection in response to an indication that the port is plugged (see page 5 line 12 through line 15).

With regard to claims 13, and 34, and applying the rejection of claims 7, and 23 above, Zeskind et al. discloses providing information regarding a condition of the port to a remote location (see page 5 line 31 through page 6 line 2).

With regard to claim 14, and applying the rejection of claim 7 above, Zeskind et al. discloses receiving an input from a user (See page 5 line 3 through line 7), providing a control signal responsive to input to program at least one of range and time interval (see page 5 line 20 through line 21).

With regard to claim 15, and applying the rejection of claim 7 above, Zeskind et al. discloses displaying information regarding the port connection to a user (see page 5 line 2 through line 3).

With regard to claims 18, and 43, and applying the rejection of claims 16, and 41 above, Zeskind et al. discloses a timer (see page 6 line 3), and a comparator that compares the fluid variable to an upper and lower threshold of a range (see page 3 line 18 through line 30).

With regard to claims 22, and 31, and applying the rejection of claims 19, and 28 above, Zeskind et al. discloses the mechanism to clear the port includes a mechanical device movable within the port to clear it (see page 5 line 13).

With regard to claim 30, and applying the rejection of claim 28 above, Zeskind et al. discloses the means for clearing the port is a heater (see page 3 line 26).

Art Unit: 2863

With regard to claim 32, and applying the rejection of claim 28 above, Zeskind et al. discloses the movable mechanical device is a valve (see page 3 line 25).

With regard to claim 35, and applying the rejection of claim 23 above, Zeskind et al. discloses at least one of the range and the time interval is programmable (see page 5 line 20), and there is a user interface to receive input from a user to set one of the range and time interval (see page 5 line 1 through line 5).

With regard to claim 36, and applying the rejection of claim 35 above, Zeskind et al. discloses the user interface includes an output for providing information to the user (see page 5 line 2 through line 3).

With regard to claim 37, and applying the rejection of claim 36 (see claim objection above) above, Zeskind et al. discloses the output comprises a display that provides information regarding the port connection (see page 5 line 2 through line 3).

With regard to claim 38, and applying the rejection of claim 37 above, Zeskind et al. discloses the information comprises an indication that the port connection is plugged (see page line 7 through line 9 & page 5 line 2 through line 3).

### ***Claim Rejections - 35 USC § 103***

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 2863

6. Claim 33 rejected under 35 U.S.C. 103(a) as being unpatentable over International Application Publication Number WO 99/57693 to Zeskind et al. in view of U.S. Patent No. 4,555,712 to Arway et al.

With regard to claim 33, the primary reference to Zeskind et al. discloses detecting a plugged sensor port in a system containing a fluid being monitored (see page 1 line 6 through line 9) by a sensor that senses a fluid variable through a sensor port (see page 6 line 9 through line 11) a controller (see page 6 line 28 through line 29) for determining a range based on the measured fluid variable beyond which the fluid variable is expected to vary (see page 8 line 9 through line 20) or establishing a range beyond which a fluid variable is expected to vary (see page 5 line 10 through line 12), within a predetermined time interval (see page 3 line 9 through line 11), measuring the fluid variable (see page 3 line 3 through line 7), indicating a plugged sensor port in response to the measured variable remaining within a range for a predetermined time interval (see page 3 line 7 through line 11 and page 3 line 31 through page 4 line 3), actuating a clearing mechanism to clear the plugged port (see page 3 line 23 through line 27), and performing a corrective action to clear the plugged port connection in response to an indication that the port is plugged (see page 5 line 12 through line 15). However, Zeskind et al. fails to disclose means for clearing the plugged port being adding a solvent by actuating a valve.

The secondary reference to Arway et al. discloses actuating a valve to introduce solvent to a system when a flow rate goes below a set point (see column 5 line 57 through line 62).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to have specified the clearing mechanism of Zeskind et al. be adding a solvent by use of a valve.

Art Unit: 2863

Accordingly, such a modification would have been obvious since Arway et al. teaches that solvent may be added to a fluid to lower its viscosity (see column 5 line 17 through line 18) and thus improve the fluids ability to flow clearing a plugged port, thereby suggesting the obviousness of the modification.

***Allowable Subject Matter***

7. Claims 4-6, 11, 17, 20, 21, 27, 29, and 42 objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

8. The following is a statement of reasons for the indication of allowable subject matter:

The primary reason for the allowance of claim 4 is the inclusion of the method step of determining the upper and lower threshold values of a range as a percentage of one of an expected operating value, and the measured fluid variable. It is this step found in each of the claims, as it is claimed in the combination, that has not been found, taught or suggested by the prior art of record which makes these claims allowable over the prior art.

The primary reason for the allowance of claim 5 is the inclusion of the method step of selecting a predetermined time interval based on characteristics of the process being monitored. It is this step found in each of the claims, as it is claimed in the combination, that has not been found, taught or suggested by the prior art of record which makes these claims allowable over the prior art.



Art Unit: 2863

The primary reason for the allowance of claims 6, and 11 is the inclusion of the method step of indicating a plugged sensor port in response to the measured fluid variable remaining within a range for at least two consecutive predetermined time intervals. It is this step found in each of the claims, as it is claimed in the combination, that has not been found, taught or suggested by the prior art of record which makes these claims allowable over the prior art.

The primary reason for the allowance of claims 17, 27, and 42 is the inclusion of the limitation of a controller establishing a predetermined time interval based on characteristics of the process being monitored. It is this limitation found in each of the claims, as it is claimed in the combination, that has not been found, taught or suggested by the prior art of record which makes these claims allowable over the prior art.

The primary reason for the allowance of claims 20, 21, and 29 is the inclusion of the limitation of a mechanism that clear a plugged port being a vibrator that vibrates in response to an actuating signal to clear the port. It is this limitation found in each of the claims, as it is claimed in the combination, that has not been found, taught or suggested by the prior art of record which makes these claims allowable over the prior art.

### ***Conclusion***

9. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

U.S. Patent No. 6,339,373 to Zeskind et al. because it teaches the same material as the International Application Publication Number WO 99/57693 to Zeskind et al.

U.S. Patent No. 5,182,938 to Merkel because it teaches detecting a plugged port in a liquid flow system using comparators and timers.

Art Unit: 2863

U.S. Patent No. 4,072,934 to Hiller et al. because it teaches detecting blockages in vapor flow lines by measuring pressure over time and comparing this signal against a preset limit.

U.S. Patent No. 4,668,948 to Merkel because it teaches measuring a pressure of a dispenser for fluid flow that generates a malfunction signal when the measured pressure is not within a specified range.

U.S. Patent No. 5,995,909 to Bretmersky et al. because it teaches controlling flow rate through a nozzle based on a model of fluid flow updated by measuring fluid flow.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anthony T. Dougherty whose telephone number is (703) 305-4020. The examiner can normally be reached on Monday through Friday from 8 to 5.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John E. Barlow can be reached on (703) 308-3126. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 308-7722 for regular communications and (703) 305-3431 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.



atd

June 10, 2003



John Barlow  
Supervisory Patent Examiner  
Technology Center 2800